



Jinan Longli Machinery Parts Co., Ltd



240 x 14.173 Inch | 360 Millimeter x 3.622 Inch |
92 Millimeter NSK 23048CAMKE4 Spherical
Roller Bearings

Bearing No. 23048CAMKE4

23048CAMKE4 Bearing 2D drawings and 3D CAD
models

| | |
|---------------------------|---|
| Category | Spherical Roller Bearings |
| Inventory | 0.0 |
| Manufacturer Name | NSK |
| Minimum Buy Quantity | N/A |
| Weight | 0.301 |
| EAN | 0029176025709 |
| Product Group | B04311 |
| Internal Clearance | C0-Medium |
| Mounting Method | Adapter Mount |
| Rolling Element | Spherical Roller Bearing |
| Bore Profile | Tapered |
| Cage Material | Bronze |
| Enclosure | Open |
| Number of Rows of Rollers | Double Row |
| Relubricatable | Yes |
| Withdrawal Sleeve | AH3048 AOH3048 (Specify bore) |
| Inch - Metric | Metric |
| Long Description | 240MM Tapered Bore; 360MM Outside Diameter; 92MM Width; C0-Medium Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Relubricatable; Adapter Part |
| | |



Jinan Longli Machinery Parts Co., Ltd

| | |
|--------------------------|---|
| Other Features | Order adapter or withdrawal sleeve or nut separately. Others may be available |
| Category | Spherical Roller Bearing |
| UNSPSC | 31171510 |
| Harmonized Tariff Code | 84823080 |
| Noun | Bearing |
| Keyword String | Spherical |
| Manufacturer URL | http://www.nskamericas.com |
| Manufacturer Item Number | 23048CAMKE4 |
| Weight / LBS | 32.3 |
| d | 9.449 Inch 240 Millimeter |
| D | 14.173 Inch 360 Millimeter |
| B | 3.622 Inch 92 Millimeter |
| Adapter Part Number | SNP3048 H3048 (Specify Bore) Inch H3048 (Specify bore) Millimeter |
| Y3 | 2.8 |
| hidYobi | 23048CAMKE4 |
| LangID | 1 |
| Y1 | 2.7 |
| D_ | 360 |
| Y2 | 4.2 |
| Macha rpm | 2200 |
| C | 1450 |
| B_ | 92 |
| da min | 254 |
| hidTable | ecat_NSSPHR |
| Oil rpm | 1100 |
| da max | 0 |
| Y0 | 2.7 |
| mass | 32.6 |
| | |



Jinan Longli Machinery Parts Co., Ltd

| | |
|------------|-------------|
| GRS rpm | 850 |
| ra | 2.5 |
| TSR rpm | 1500 |
| C0 | 2140 |
| DE_ | 330.722 |
| X0 | 1 |
| Prod_Type3 | SRB_CTB_TB |
| X1 | 1 |
| d | 240 |
| X2 | 0.67 |
| SIR | 36.5 |
| e | 0.24 |
| DA_ | 30 |
| bomp | 23048CAMKE4 |
| Z_ | 26 |
| ALP2 | 10 |
| ALP1 | 9 |
| ALP3 | 0 |
| D_a max | 346 |
| D_a min | 324 |
| yobi | 23048CAMKE4 |
| HPS | HPS |
| ALPHA_ | 0.16 |
| SDM_ | 301.105 |
| r | 3 |
| SBRG | 30 |
| DI_ | 271.488 |