



Jinan Longli Machinery Parts Co., Ltd



7020CTRDULP4Y Bearing 2D drawings and 3D CAD models

3.937 Inch | 100 Millimeter x 5.906 Inch | 150 Millimeter x 1.89 Inch | 48 Millimeter NSK 7020CTRDULP4Y Precision Ball Bearings

Bearing No. 7020CTRDULP4Y

Category	Precision Ball Bearings
Inventory	4.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	2.52
EAN	0029176587559
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 7 ISO P4
Material - Ball	Steel
Number of Bearings	2 (1 Pair)
Contact Angle	15 Degree
Preload	Light
Raceway Style	1 Rib Outer Ring
Cage Material	Phenolic
Rolling Element	Ball Bearing
Mounting Arrangement	Duplex-Universal
Flush Ground	Yes
Inch - Metric	Metric
Other Features	Single Row Angular Contact Bore and OD are Exclusive All Others are ISO 4
Long Description	100MM Bore; 150MM Outside Diameter; 48MM Width; Open Enclosure;



Jinan Longli Machinery Parts Co., Ltd

	ABEC 7 ISO P4 Precision; Steel Ball Material; 2 (1 Pair) Bearings; 15 Degree Contact Angle; Phenolic Cage Material; 1 Rib Outer Ring R
Category	Precision Ball Bearings
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	7020CTRDULP4Y
Weight / LBS	5.556
d	3.937 Inch 100 Millimeter
D	5.906 Inch 150 Millimeter
B	1.89 Inch 48 Millimeter
bore diameter:	100 mm
radial dynamic load capacity:	7700 kgf
outside diameter:	150 mm
radial static load capacity:	7900 kgf
overall width:	24 mm
maximum rpm:	9000 RPM
contact angle:	15 °
cage material:	Synthetic Resin
internal clearance:	C0
finish/coating:	Uncoated
ball screw application:	Not for Ball Screws
outer ring width:	24 mm
closure type:	Open
fillet radius:	1.5 mm
precision rating:	ABEC 7 (ISO Class 4)



Jinan Longli Machinery Parts Co., Ltd

series:

70