



Jinan Longli Machinery Parts Co., Ltd



23040 CCK/C3W33 Bearing 2D drawings and 3D CAD models

7.874 Inch | 200 Millimeter x 12.205 Inch | 310 Millimeter x 3.228 Inch | 82 Millimeter SKF 23040 CCK/C3W33 Spherical Roller Bearings

Bearing No. 23040 CCK/C3W33

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	21.761
EAN	7316576655203
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3040 (Specify bore)
Withdrawal Nut	HML43T
Inch - Metric	Metric
Long Description	200MM Tapered Bore; 310MM Outside Diameter; 82MM Width; C3-Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable; Adapter Part Nu



Jinan Longli Machinery Parts Co., Ltd

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	47.931
B	3.228 Inch 82 Millimeter
d	7.874 Inch 200 Millimeter
Adapter Part Number	SNW3040 H3040 (Specify Bore) Inch H3040 (Specify bore) Millimeter
D	12.205 Inch 310 Millimeter
bore diameter:	200 mm
maximum rpm:	2200 RPM
outside diameter:	310 mm
operating temperature range:	Maximum of +390 ° F
overall width:	82 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	82 mm



Jinan Longli Machinery Parts Co., Ltd

dynamic load capacity:	1000 kN
fillet radius:	2 mm
static load capacity:	1530 kN
series:	230